

**Material Safety Data Sheet**

May be used to comply with  
 OSHA's Hazard Communication Standard 29 CFR 1910  
 Standard must be consulted for specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health Administration  
 (Non-Mandatory Form) Form Approved OMB no.1218-0072

**Identify (Code Number, Name)**

2200209/15

**Bolt Buster NF****Section I Manufacturer's Name**

**Applied Research, Inc.**  
**7367 Davie Rd. Ext**  
**Hollywood, Fl 33024**

Emergency Telephone Number  
 1-800-228-5635

Telephone # For Information  
 1-800-253-3500

Date Prepared: 11/13/98

**HEALTH** 1  
**FLAMMABILITY** 1  
**REACTIVITY** 0  
 Protective Equipment  
 B

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Isoparaffinic Hydrocarbon	84742-46-7	200 ppm	200 ppm		60-80
Food Grade Mineral Oil	8042-47-5	5mg/m3	5mg/m3		10-20
Dipropylene Glycol Monomethyl ether	34590-94-8	100 ppm	100 ppm		01-05
Carbon Dioxide Propellant	124-38-9	1000 ppm	1000 ppm		01-05

**Section III Physical Characteristics**

<b>Boiling Point</b>	-300 F	<b>Specific Gravity (Water =1)</b>	@75 F: 0.830
<b>Vapor Pressure</b>	(can-psig @ 70 F): 90	<b>Melting Point</b>	N/A
<b>Vapor Density</b>	>1	<b>Evaporation Rate</b>	N/A

<b>Solubility In Water</b>	Slight
<b>Appearance and Odor</b>	Brownish liquid, solvent odor

**Section IV Fire and Explosion Hazard Data**

<b>Flash Point</b>	<b>Flammable Limits</b>	<b>LEL</b>	<b>UEL</b>
(concentrate) 216 F (TOC)	Non-flammable spray	N/A	N/A

<b>Extinguishing Media</b>	Foam, CO2, Dry Media
<b>Special Fire Fighting</b>	Wear self-contained breathing apparatus and protective clothing. Cool fire-exposed containers to