

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard 29 CFR 1910
Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form) Form Approved OMB no. 1218-0072

Identify (Code Number, Name)

2200515/11

D-Ice**Section I Manufacturer's Name**

Applied Research, Inc.
7367 Davie Rd. Ext
Hollywood, FL 33024

Emergency Telephone Number

1-800-228-5635

Telephone # For Information

1-800-253-3500

Date Prepared: 06/10/96

HEALTH**1****FLAMMABILITY****4****REACTIVITY****0**

Protective Equipment

B

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Isopropyl Alcohol	67-63-0	400 ppm	400 ppm		80-100
Propylene Glycol	57-55-6	N/E	N/E		05-10
Carbon Dioxide Propellant	124-38-9	10000 ppm	10000 ppm		01-05

Section III Physical Characteristics

Boiling Point	~ 180 deg F (Concentrate)	Specific Gravity (Water =1)	@ 75 deg F: 0.804 (Concentrate)
Vapor Pressure	Can/PSIG @ 70 deg F: 85	Melting Point	N/A
Vapor Density	>1	Evaporation Rate	

Solubility In Water	Complete
Appearance and Odor	Clear colorless liquid, mild alcohol odor

Section IV Fire and Explosion Hazard Data

Flash Point	Flammable Limits	LEL	UEL
(Concentrate only): 59 deg F (T.O.C.)	Extremely flammable spray		