

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard 29 CFR 1910
Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form) Form Approved OMB no.1218-0072

Identify (Code Number, Name)

2200333/14

Long Shot & Long Shot II**Section I Manufacturer's Name**

Applied Research, Inc.
7367 Davie Rd. Ext
Hollywood, Fl 33024

Emergency Telephone Number
1-800-228-5635

Telephone # For Information
1-800-253-3500

Date Prepared: 03/25/98

HEALTH 1
FLAMMABILITY 4
REACTIVITY 1
Protective Equipment
B

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Isoparaffinic Hydrocarbons	64741-66-8 & 64742-46-7	1000ppm & 700ppm	1000ppm & 700ppm		10-30/ 30-50
Acetone	67-64-1	750ppm	750ppm		20-40
Technical Piperonyl Butoxide	51-03-6	N/A	N/A		0.10
Pyrethins	8003-34-7	N/A	N/A		0.05
Diazinon	333-41-5	N/A	N/A		0.5
Carbon Dioxide Propellant	124-38-9	10000 ppm	10000 ppm		01-05

Section III Physical Characteristics

Boiling Point	>200 F	Specific Gravity (Water =1)	@ 75 F: 0.790
Vapor Pressure	90	Melting Point	N/A
Vapor Density	>1	Evaporation Rate	N/A

Solubility In Water	Slight
Appearance and Odor	Pale yellow liquid, Pyrethrin odor

Section IV Fire and Explosion Hazard Data

Flash Point	Flammable Limits	LEL	UEL
(Concentrate) 3 F (TOC)	Extremely Flammable Spray		

Extinguishing Media	Foam, CO2, Dry Media
----------------------------	----------------------