

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard 29 CFR 1910
Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form) Form Approved OMB no.1218-0072

Identify (Code Number, Name)

1250248

Spray-N-Buff**Section I Manufacturer's Name**

Applied Research, Inc.
7367 Davie Rd. Ext
Hollywood, Fl 33024

Emergency Telephone Number
1-800-228-5635

Telephone # For Information
1-800-253-3500

Date Prepared: 01/30/96

HEALTH
FLAMMABILITY

REACTIVITY

Protective Equipment

Hazardous Components (Specify Chemical Identity, Common Name)	CAS #	OSHA PEL	ACGIH TLV	Other Recommended Limits	%
Acrylic Copolymer	28263-96-9	NA	NA		
*Diethylene Glycol Methyl Ether	111-77-3	NA	1.0 ppm		<1.0
Hydrocarbon Wax	68491-17-8	NA	NA		
*Dibutyl Phthalate	84-7-2	5	5 mg/m ³		<0.5
* Reportable to SARA Section 313					

Section III Physical Characteristics

Boiling Point	100 deg C	Specific Gravity (Water =1)	>1
Vapor Pressure	NA	Melting Point	NA
Vapor Density	<1	Evaporation Rate	>1

Solubility In Water	Complete
Appearance and Odor	Milky white liquid

Section IV Fire and Explosion Hazard Data

Flash Point	Flammable Limits	LEL	UEL
None			

Extinguishing Media	Water spray, carbon dioxide, chemical foam
----------------------------	--